

IMZ-8.1239 DPS: Modification of IMZ-8.1233

- •Ural IMZ-8.1233 "Solo-DPS" (Мотоцикл Урал СолоДПС)
 - –Modification of IMZ-8.1233 "Solo" (Соло)
 - -Additionally Equipped with Specially-Tuned Modification:
 - ·Wind Shield, Signal Lights and Electronic Siren
- •Ural IMZ-8.1239 "Solo DPS" (Мотоцикл Урал Соло-Классик ДПС)
 - –Modification of IMZ-8.1239 "Solo Classic" (Соло-Классик)
 - -Additionally Equipped with Specially-Tuned Modification:
 - ·Wind Shield, Signal Lights and Electronic Siren
- •Both IMZ-8.1233 Solo DPS and IMZ-8.1239 Solo-Classic DPS Use 750cc Engine
 - -Rectangular Valve Covers

The police (DPS) versions of the solo and the solo-classic motorcycles were based on commercial versions, with the addition of a special wind shield, signal lights and siren.

Standard versus DPS (Police) Versions

Model		IMZ 8.1233 Solo	IMZ-8.1233 DPS	IMZ-8.12339 Solo-Classic	IMZ-8.1239 DPS
Year		2002 - 2007	2002 - 2007	2007 - 2008	2007 - 2008
Engine	Cylinder	745.4 cm ³	745.4 cm ³	745.4 cm ³	745.4 cm ³
	Comp Ratio	1: 8.6	1: 8.6	1: 8.6	1: 8.6
	Max rpm	5600 rpm	5600 rpm	5600 rpm	5600 rpm
	Power	45 hp (30 kW)	45 hp (30 kW)	45 hp (30 kW)	45 hp (30 kW)
	Stroke / Bore	78 mm / 78 mm	78 mm / 78 mm	78 mm / 78 mm	78 mm / 78 mm
	Torque	52 Nm @4000 rpm	52 Nm @4000 rpm	52 Nm @4000 rpm	52 Nm @4000 rpm
Transmission gear ratios	First	1: 3.6	1: 3.6	1: 3.6	1: 3.6
	Second	1: 2.28	1: 2.28	1: 2.28	1: 2.28
	Third	1: 1.56	1: 1.56	1: 1.56	1: 1.56
	Fourth	1: 1.19	1: 1.19	1: 1.19	1: 1.19
	Reverse	1:4.2	1:4.2	1:4.2	1:4.2
	Final Drive	1: 3.89	1: 3.89	1: 3.89	1: 3.89
Dry Weight		225 kg	234 kg	214 kg	234 kg
Gross Weight		384 kg	384 kg	384 kg	384 kg
Max Speed		130 km/h	145 km/h (tuned)	140 km/h	150 km/h (tuned)
Tire Size		3.50 "× 18"	3.50 "× 18"	3.50 "× 18"	3.50 "× 18"
Brakes	Front / Rear	Brembo Disc / IMZ Drum	Brembo Disc / IMZ Drum	Brembo Disc / IMZ Drum	Brembo Disc / IMZ Drum
Suspension	Front / Rear	Telescopic / Pendulum with Spring-Hydraulic Shock Absorbers	Telescopic / Pendulum with Spring-Hydraulic Shock Absorbers	Paoili Telescopic / Pendulum with Spring- Hydraulic Shock Absorbers	Paoili Telescopic / Pendulum with Spring- Hydraulic Shock Absorbers
Electrical	Alternator	12-Volt, 500-Watt	12-Volt, 500-Watt	12-Volt, 500-Watt	12-Volt, 500-Watt
Ignition		Microprocessor, Ducati	Microprocessor, Ducati	Microprocessor, Ducati	Microprocessor, Ducati

The Ural Wolf and ST are the only solo versions still produced today.

Ural IMZ-8.1233 "Solo" (ИМЗ-8.1233 Урал «Соло»)

- Enaine

 - -Engine Type: 750-cc boxer 45 hp, 4-Stroke, 2-Cylinder, OHV
 -Ignition / Starter: Microprocessor / Electric Starter and Kick-Starter
 - -Engine Volume: 745 cm³ OHV
 - Compression Ratio: 8.6:1
 - -Bore and Stroke: 78 x 78 mm
 - -Power: 39 Hp / 29 kW @ 5600 rpm

 - -Torque: 52 Nm @ 4000 rpm -Carburetor: 2 x Keihin L22 AA
 - -Diffuser: 22 mm
 - -Clutch: Dry double disc
- Dynamics and Efficiency
 - -Max Speed: 130 km/h, Tuned: 145 km/h
 - -Flow Rate: 5-6 liters/100 km
 - -Fuel Tank Capacity: 19 liters
- Transmission
 - -Type: 4-Speed with Reverse
 - -Chassis: Frame Steel Tubular
 - Adjustable Load
 - -Brakes: Front Brembo Hydraulic Disc. Rear IMZ Drum
 - -Drive: PTO
- Dimensions and Weight
 - -Ground Clearance: 125 mm
 - -Front and Rear Wheels: Spoked, Chrome, 3.50 X 18"
 - -Dry Weight: 234 kg
- Rest
 - -Seats 2, twin, double adjustable
 - -Electrical: 12-Volt, 500-Watt Alternator
 - -Available Colors: Black with Diverging Pattern, Black, Cherry, Baltic, Green Garden







Ural's IMZ-8.1233 "Solo" served as the commercial basis for the police version.

Ural Police Motorcycle IMZ-8.1233 "Solo-DPS"

•Modification of road motorcycle IMZ-8.1233 "Solo-DPS"«Соло-ДПС»—Additionally equipped with windscreen, signal lights, siren, means for mounting special equipment DPS

•Clearance: 125 mm

Dry Weight: 234 kg

·Weight: 384 kg

•Fuel Tank: 19 liters

•Maximum Speed: 150 km/h

•Fuel Consumption, City: 5-6 liters/100km

•Fuel Consumption, Highway: 4-5 liters/100km •Engine: 750 cm³, 45 Hp, 4-Stroke, 2-Cylinder Boxer OHV

•Start: Electric and Kick-Starter

•Electrical System: 12-Volt, 500-Watt Denso Alternator

·Ignition System: Microprocessor, Ducati

• Gearbox: 4-Speed with Reverse • Main Transfer: Gimbal

•Gear Ratios: I - 3.6; II - 2.28; III - 1.56; IV - 1.19; Reverse - 4

•Final Drive Ratio: - 3.89

•Tires: 3.50" X 18", MITAS

·Wheels - Spokes, Chrome

•Brakes: Front - Brembo Disc, Rear – IMZ Drum IMZ


•Suspension:

-Front: Telescopic

-Rear: Pendulum with Spring-Hydraulic Shock Absorbers, A

The police (DPS) version of the motorcycle had a specific blue-white color. 5

Ural Solo (DPS) мотоцикла Урал-Соло(ДПС)



The blue-and-white IMZ-8.1233 Solo DPS is a modification of Ural's IMZ-8.1233 "Solo" Classic.

Ural IMZ-8.1233 DPS Is a Modification of the "Solo"

Early Ural Motorcycles All Had High-Mounted Mudguards Made of Three Individual Pressings Welded Together to Form Two Side Seems. The Guard Hangs from the Yoke and Does Not Move.



The latest 750cc solo bikes have changed to Paioli forks, with new fork mounted mudguard. The brake and wheel are the same but the spindle is very different.



Ural IMZ-8.1233 DPS (Урал ИМЗ-8.1233 ДПС)



The police (DPS) version of the solo motorcycle was based on the commercial version, with the addition of a special wind shield, signal lights and siren. 8

IMZ-8.1239 "Solo Classic" (ИМЗ-8.1239 «СОЛО-КЛАССИК»)

- Ground Clearance: 125 mm
- Dry Weight: 225 kg
- Gross Weight: 384 kg
- Engine
 - 745 cm ³
 - Compression Ratio: 1: 8.6
 - Power: 40 hp @ 5600 rpm
 - Torque: 52 Nm @ 4000 rpm
 - Stroke / Bore: 78 mm / 78 mm
- Fuel Tank Capacity: 22 liters
- · Maximum Speed: 150 km/h
- Fuel Consumption, City: 5.6 liters/100 km
 Fuel Consumption, Highway: 4-5 liters/100 km
- Engine: 750 cm ³, 45 hp, 4-stroke, 2-Cylinder Boxer OHV
- Starting: Electric and Kick Start
- Electrical System: 12-Volt, 500-Watt Alternator
- Ignition System: Microprocessor
- Transmission: 4-Speed with Reverse
- Main Gear: Gimbal
- Brakes: Front Hydraulic Disc, Rear IMZ Drum
- Suspension: Front Paioli Telescopic, Rear Pendulum with Spring-Hydraulic Shock Absorbers, Adjustable Load
- · Sitting: Separate
- Package Includes No Accessories



The Ural Solo Classic has a lower seat than the standard solo and better brakes, but for some reason just didn't sell well.

Ural Patrol DPS "Ural Solo-Classic" (IMZ-8.1239 DPS) ИМЗ-8.1239 ДПС

- •Ground Clearance: 125 mm
- •Dry Weight: 214 kg
- ·Gross Weight: 384 kg
- •Fuel Tank Capacity: 22 liters
- •Maximum Speed: 150 km/h
- Fuel Consumption, City: 5.6 liters/100 km
- •Fuel Consumption, Highway: 4-5 liters/100 km
- Engine
 - •750 cm ³, 45 hp, 4-stroke, 2 cylinder boxer OHV
 - •Torque: 52 Nm @ 4000 rpm
- •Starting: Electric and Kick-Starter
- ·Electrical system: 12-Volt, 500-Watt Alternator
- ·Ignition system: Microprocessor, Ducati
- •Transmission: 4-Speed with Reverse
- ·Main Gear: Gimbal
- •Brakes: Front Brembo Disc, Rear IMZ Drum
- •Tires: Front 3.50" X 18", Rear 3.50" X 18"
- •Suspension: Front Telescopic, Rear Pendulum with Spring-Hydraulic Shock
- Absorbers, Adjustable Load
- ·Sitting: Separate
- •Package Includes Additional Equipment: Luggage, Saddlebags, Windshield, Light and Sound Signals

IMZ-8.1239 "DPS" is a modification of the IMZ-8.1239 "Solo-Classic", additionally equipped with windscreens, signal lights, siren and means for mounting special equipment DPS.



Ural Patrol DPS "Ural Solo-Classic" (IMZ-8.1239 DPS) ИМЗ-8.1239 ДПС

